



# **SHOWA 542**

Protect hands during component assembly and hazardous applications with the 542 cut and abrasion-resistant glove. Featuring a polyurethane coating over a HPPE reinforced liner, the 542 protects against oils and abrasion whilst maintaining optimum flexibility and dexterity. An open back of hand design reduces perspiration, and the seamless liner reduces irritation during long periods of wear.



#### **BENEFITS**

- Seamless knit
- Flexible
- Form-fitting
- Breathable
- Abrasion-resistant
- Oil-resistant
- Cut-resistant

# **FEATURES**

- HPPE reinforced
- Elasticated wrist cuff
- Ergonomic
- · Rough grip
- · Polyurethane coating

#### **INDUSTRIES**



Manufacturing

## **HAZARDS**



Cut

## **NORMS & CERTIFICATES**

Cat II





# **TRADES & APPLICATIONS**

- Bottling
- Canning
- Component Assembly
- White goods





#### **PACKAGING**

- Pair per polybag: 10
- Polybags per case: 20
- Pair per case: 200

#### **LENGTH**

210 - 260mm

## **COATING**

Polyurethane

#### **SIZES**

6/S | 7/M | 8/L | 9/XL | 10/XXL

#### **COLOUR**

White

#### **MATERIAL**

- HPPE
- Seamless knit

#### **USER INSTRUCTIONS**

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

# DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.