

SHOWA 376

These liquid-resistant gloves protect from liquid penetration with a double nitrile outer layer. The foam coating over nitrile ensures safety with an absorbent grip, even when working with oily components. The extra-long elasticated wrist cuff prevents debris and dirt from entering the glove, and its seamless liner reduces skin-irritation and discomfort.



BENEFITS

- Water-resistant
- Seamless knit
- Flexible
- Extra Grip
- Breathable

FEATURES

- Nitrile palm coating
- Elasticated wrist cuff
- Foam grip

NORMS & CERTIFICATES



EN
388:2016+A1:2018



4121X

INDUSTRIES



Automotive



Mechanical



Oil And Gas



Railways



Utilities

HAZARDS



General Purpose



Liquids

TRADES & APPLICATIONS

- Automotive repairs and maintenance
- Light assembly of oil-coated pieces
- Mechanical and engineering
- Handling heavy equipment
- Drainage, piping
- Shipping/Receiving

CONTATTACI

SHOWA International | WTC - Tower 2 - Strawinskyalaan 1077 XX Amsterdam - The Netherlands

showagroup.com | info@showagroup.eu

© SHOWA GROUP 2024 | All rights reserved

PACKAGING

- Pair per polybag: 12
- Polybags per case: 6
- Pair per case: 72

COATING

- Foam nitrile

SIZES

7/M | 8/L | 9/XL | 10/XXL

COLOUR

- Black
- Blue

MATERIAL

- Polyester
- Seamless knit

GRIP

- Foam

USER INSTRUCTIONS

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.

CONTACTACI

SHOWA International | WTC - Tower 2 - Strawinskyiaan 1077 XX Amsterdam - The Netherlands
showagroup.com | info@showagroup.eu
© SHOWA GROUP 2024 | All rights reserved