



SHOWA S-TEX 377SC

ANSI CUT LEVEL A4 Designed for optimal cut and abrasion resistance, the S-TEX 377SC cut protection glove features a high-performance S-TEX® liner with Hagane Coil™ technology. The full nitrile coating and additional foam nitrile palm dip provides superior grip and protects the hands from abrasions. A gauntlet style reinforced safety cuff provides additional protection to the wrist and forearm. For comfort, the S-TEX 377SC features a seamless knit to reduce irritation and an ergonomic design that reduces hand fatigue.



BENEFITS

- Cut-resistant
- Abrasion-resistant
- Form-fitting
- Increased dexterity
- Water-resistant
- Seamless knit
- Forearm protection

FEATURES

- Hagane Coil® technology
- Foam nitrile palm dip
- Fully-coated nitrile
- Foam grip
- Reinforced safety cuff

INDUSTRIES



Automotive



Construction



Glass



Mining



Oil And Gas

HAZARDS



Cut



SHOWA S-TEX 377SC

NORMS & CERTIFICATES

Cat II







4X41D





Abrasion

ANSI/ISEA 105-2016 PUNCTURE



Puncture

TRADES & APPLICATIONS

- Mechanical and engineering
- Drainage, piping
- **HVAC**
- Window manufacturing

PACKAGING

- Pair per polybag: 6
- Polybags per case: 12
- Pair per case: 72

COATING

EN 407:2004

X1XXXX

ANSI/ISEA 105-2016 CUT

Cut

- Foam nitrile
- Nitrile

SIZES

7/M | 8/L | 9/XL | 10/XXL

COLOUR

- Grey
- Blue

MATERIAL

- Nylon
- Polyester
- Seamless knit
- Stainless steel

TECHNOLOGY

S-TEX

GRIP

Sponge

USER INSTRUCTIONS

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.

GET IN TOUCH